


=> d que 19

L1 STR



NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE

L3 2 SEA FILE=REGISTRY SSS FUL L1

L9 1 SEA L3

=> dup rem 14 19

FILE 'HCAPLUS' ENTERED AT 15:01:17 ON 23 SEP 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPATFULL' ENTERED AT 15:01:17 ON 23 SEP 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

PROCESSING COMPLETED FOR L4

PROCESSING COMPLETED FOR L9

L10 5 DUP REM L4 L9 (0 DUPLICATES REMOVED)

ANSWERS '1-4' FROM FILE HCAPLUS

ANSWER '5' FROM FILE USPATFULL

=> d l10 ibib abs hitstr 1-5

L10 ANSWER 1 OF 5 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:98703 HCAPLUS

DOCUMENT NUMBER: 132:153667

TITLE: Preparation of cationic surfactants containing ester group and having good water solubility

INVENTOR(S): Kim, Dong-Il; Kim, Tae-Seong; Rang, Moon-Jeong

PATENT ASSIGNEE(S): LG Chemical Ltd., S. Korea

SOURCE: PCT Int. Appl., 19 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000006679	A1	20000210	WO 1999-KR407	19990727
W: CN, ID, IN, JP, US, VN				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
KR 2000011984	A	20000225	KR 1999-30497	19990727
JP 2002521492	T2	20020716	JP 2000-562463	19990727
US 6414170	B1	20020702	US 2001-744349	20010123
PRIORITY APPLN. INFO.:				A 19980727
				WO 1999-KR407 W 19990727


OTHER SOURCE(S): MARPAT 132:153667

AB A cationic surfactant having excellent softness, antistatic properties, biodegradability, etc. is due to having an ester group and a hydrophilic hydroxyl group. A cationic surfactant is prepared by reacting tertiary amine derivs., fatty acid, and epihalohydrin, and prepared simply by reacting esterification and quaternary reactions in one step with a high yield. The cationic surfactant is a high grade alkyl quaternary ammonium compound $[A(CH_2)_nN^+(R_1)2CH_2CH(OH)CH_2O_2CR_2]X^-$ where $R_1 = C1-4$ -alkyl; $R_2 = C7-21$ linear or branched alkyl or alkenyl group; $A = OCOR_3$, $NHCOR_3$ or OH ; $R_3 = C7-21$ linear or branched alkyl or alkenyl group; $X =$ halogen; and $n = 2-6$.

IT **110528-96-6DP**, esters with mixts. of stearic acid and palmitic acid
 RL: IMF (Industrial manufacture); PRP (Properties); PREP (Preparation)
 (surfactant, biodegradability; cationic surfactants containing hydroxyl and ester group)

RN 110528-96-6 HCAPLUS

CN 1-Propanaminium, 2,3-dihydroxy-N-(2-hydroxyethyl)-N,N-dimethyl-, chloride (9CI) (CA INDEX NAME)

● Cl⁻

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 2 OF 5 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1990:8680 HCAPLUS

DOCUMENT NUMBER: 112:8680

TITLE: High-yield azo dye compositions for natural and synehetic polyamide textiles

INVENTOR(S): Ruzicka, Karel; Maxa, Milan; Suk, Jiri


PATENT ASSIGNEE(S): Czech.

SOURCE: Czech., 3 pp.
 CODEN: CZXXA9

DOCUMENT TYPE: Patent


LANGUAGE: Czech
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
CS 255187	B1	19880215	CS 1986-3779	19861208
PRIORITY APPLN. INFO.: GI			CS 1986-3779	19861208




I

- AB The title composition, useful for dyeing and printing of wool, silk, and polyamide textiles with a high dyeing yield, consists of the 1:2 Cr-complex dye I 65-75, cationic surfactant [ROCH₂CH(OH)CH₂NMe₂CH₂CH₂OH]+X⁻ (II), (R = C₁₀-18 alkyl; X = halogen) 1-3, and fillers (inorg. electrolytes, sugars, urea, oils as antidusting agents) 22-34%. These compns. reduce the concentration of I in waste waters and are prepared by mixing of the liquid components and spray or fluid drying. I (75 parts) was mixed at 60° with 7 parts of a 30% aqueous solution of II and 25 parts Na₂SO₄ and spray dried at 90-200°, giving a composition for use in neutral baths containing (NH₄)₂SO₄.
- IT **121850-91-7D**, C₁₀-18 alkyl ethers, halide salts
 RL: USES (Uses)
 (surfactants, 1:2 chrome-complex azo dyeing compns. containing, for polyamide textiles)
- RN 121850-91-7 HCAPLUS
- CN 1-Propanaminium, 2,3-dihydroxy-N-(2-hydroxyethyl)-N,N-dimethyl- (9CI) (CA INDEX NAME)



L10 ANSWER 3 OF 5 HCAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 1989:479837 HCAPLUS
 DOCUMENT NUMBER: 111:79837
 TITLE: Chrome-complex azo dye preparations
 INVENTOR(S): Ruzicka, Karel; Maxa, Milan; Suk, Jiri
 PATENT ASSIGNEE(S): Czech.
 SOURCE: Czech., 3 pp.
 CODEN: CZXXA9
 DOCUMENT TYPE: Patent
 LANGUAGE: Czech
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
CS 254617	B1	19880115	CS 1986-3778	19860523
PRIORITY APPLN. INFO.:			CS 1986-3778	19860523
OTHER SOURCE(S):	MARPAT 111:79837			
GI				



AB The title preps., containing the Cr complex dye I 65-75, cationizing agents [ROCH₂CH(OH)CH₂N(Me)₂CH₂CH₂OH]⁺ X⁻ (II) (R = C₁₀-18 alkyl; X = halogen) 1-3, and fillers (inorg. electrolytes, sugars, urea, oily antidusting


additives) 22-34%, give fast black prints and shades on wool, silk, and polyamide textiles with high I utilization. A typical preparation contains I 70, II 3, and Na₂SO₄ 27 parts.

IT 121850-91-7D, C10-18 alkyl ethers

RL: RCT (Reactant); RACT (Reactant or reagent)
(in chrome dye preps. for textile printing)

RN 121850-91-7 HCAPLUS

CN 1-Propanaminium, 2,3-dihydroxy-N-(2-hydroxyethyl)-N,N-dimethyl- (9CI) (CA INDEX NAME)



L10 ANSWER 4 OF 5 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1987:636676 HCAPLUS

DOCUMENT NUMBER: 107:236676

TITLE: Intramolecular cyclization products from alkanolamines and epichlorohydrin

AUTHOR(S): Buriks, Rudy S.; Lovett, Eva G.

CORPORATE SOURCE: Petrolite Corp., St. Louis, MO, 63119, USA


SOURCE: Journal of Organic Chemistry (1987), 52(23), 5247-54
CODEN: JOCEAH; ISSN: 0022-3263

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 107:236676

GI



AB Tertiary (2-hydroxyethyl)dialkylamines HOCH₂CH₂NRR₁ (R, R₁ = Me, CH₂CH₂OH) reacted with epichlorohydrin to form mixts. containing equal amts. of 2-(hydroxymethyl)-4,4-dialkylmorpholinium chlorides I and perhydro-6-hydroxy-4,4-dialkyl-1,4-oxazepinium chlorides II. Secondary (2-hydroxyethyl)alkylamines HOCH₂CH₂NHR₃ (R₃ = Me, CH₂CH₂OH) gave a 9:1


ratio of the corresponding bases III and IV, resp., in agreement with the prediction of Baldwin's rules. Methylation of a mixture of III and IV (R = Me for both) with MeCl gave a mixture of I and II (R = R1 = Me). A mechanism involving intramol. ring closure of an intermediate epoxide is discussed.

IT 110528-96-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 110528-96-6 HCAPLUS

CN 1-Propanaminium, 2,3-dihydroxy-N-(2-hydroxyethyl)-N,N-dimethyl-, chloride
(9CI) (CA INDEX NAME)



● Cl⁻

L10 ANSWER 5 OF 5 USPATFULL on STN

ACCESSION NUMBER: 2002:160892 USPATFULL

TITLE: Preparation of cationic surfactants containing ester group in molecules

INVENTOR(S): Kim, Dong-Il, Daejeon, KOREA, REPUBLIC OF
Ha, Jeong-Wook, Daejeon, KOREA, REPUBLIC OF
Kim, Tae-Seong, Daejeon, KOREA, REPUBLIC OF
Rang, Moon-Jeong, Daejeon, KOREA, REPUBLIC OF

PATENT ASSIGNEE(S): LG Chemical Ltd., Seoul, KOREA, REPUBLIC OF (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6414170	B1	20020702
	WO 2000006679		20000210
APPLICATION INFO.:	US 2001-744349		20010123 (9)
	WO 1999-KR407		19990727
			20010123 PCT 371 date

	NUMBER	DATE
PRIORITY INFORMATION:	KR 1998-30208	19980727
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	GRANTED	
PRIMARY EXAMINER:	Killos, Paul J.	
ASSISTANT EXAMINER:	Tucker, Zachary	
LEGAL REPRESENTATIVE:	Fish & Richardson P.C.	
NUMBER OF CLAIMS:	9	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	0 Drawing Figure(s); 0 Drawing Page(s)	
LINE COUNT:	467	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to a method for preparing a cationic

surfactant in which physical chemical characteristics such as softness, antistatic properties, etc. as well as biodegradability are quite excellent due to having an ester group and a hydrophilic hydroxyl group in its molecules. A cationic surfactant of the present invention is prepared by reacting tertiary amine derivatives, fatty acid, and epihalohydrin, and prepared simply by reacting esterification and quaternary reactions in one step with a high yield. The above cationic surfactant is a high grade alkyl quaternary ammonium compound as represented in General Formula (1), wherein R^{sup.1} is a C_{sub.1}-C_{sub.4} alkyl group; R^{sup.2} is a C_{sub.7}-C_{sub.21} linear or branched alkyl or alkenyl group; A is OCOR^{sup.3}, NHCOR^{sup.3} or OH; R^{sup.3} is a C_{sub.7}-C_{sub.21} linear or branched alkyl or alkenyl group; X is a halogen atom; and n is an integral number from 2 to 6. ##STR1##


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 110528-96-6DP, esters with mixts. of stearic acid and palmitic acid

(surfactant, biodegradability; cationic surfactants containing hydroxyl and ester group)

RN 110528-96-6 USPATFULL

CN 1-Propanaminium, 2,3-dihydroxy-N-(2-hydroxyethyl)-N,N-dimethyl-, chloride (9CI) (CA INDEX NAME)



This Page Blank (uspto)